




STF 4010

Data Sheet / Catalogo / Fiche Technique / Scheda Dati
Datenblatt / техническая спецификация

Metric / Métrico / Métrique / Metrico / Metrisch / метрика



Headquarters

3620 S. 40th Street, Phoenix, AZ, 85040 USA
+1 (480) 993 3302


Factory


Zona Industrial de Canas de Senhorim - EN 234, 3525-040 Canas de Senhorim - Portugal
+351 232 673 530 sales@staffordtowercranes.com







www.staffordtowercranes.com



Empresa certificada no âmbito da Conceção, Fabrico e Serviço Pós-venda de Gruas Soíma e componentes









More options






m			2500kg	10	14	18	23	30	35	40	m
			kg	10000kg 4x2000kg + 2x1000kg	18.2	2500	2500	2500	1900	1400	1100
35	9000kg 4x2000kg + 1x1000kg	21.0	2500	2500	2500	2200	1600	1400			
30	8000kg 3x2000kg + 2x1000kg	20.2	2500	2500	2500	2100	1600				
23	5000kg 2x2000kg + 1x1000kg	17.1	2500	2500	2300	1800					
18	5000kg 2x2000kg + 1x1000kg	14.7	2500	2500	2000						
m											

SACS
15%




m			2500kg	10	14	18	23	30	35	40	m
			kg	10000kg 4x2000kg + 2x1000kg	18.2	2500	2500	2500	2185	1610	1265
35	9000kg 4x2000kg + 1x1000kg	21.0	2500	2500	2500	2530	1840	1610			
30	8000kg 3x2000kg + 2x1000kg	20.2	2500	2500	2500	2415	1840				
23	5000kg 2x2000kg + 1x1000kg	17.1	2500	2500	2500	2070					
18	5000kg 2x2000kg + 1x1000kg	14.7	2500	2500	2300						
m											



			A (mm)	B (mm)	C (mm)	kg (±5%)	
Jib / Lança / Fleche / Braccio / Ausleger / кливер		L41	11860	1350	1850	2400	
		L42	11820	1160	1210	820	
		L43	5100	1160	1210	260	
		L44	5100	1160	1210	230	
		L45	6800	1160	1210	290	
Head turntable		RS3 RI3	2130	1310	1830	2120	
Counter-jib / Contra lança / Contre-flèche		CL2	7260	1220	500	1370	
Counterweight / Contrapeso / Contrepoids / Gegengewicht / Противовес		CP2	1160	330	3140	4x2000 8000	
		CP3	1160	165	3140	2x1000 2000	
Tower section / torre / Coupe tour / Sezione torre / Turmabschnitt / Секция башни		A3	11985	1180	1180	2450	
		A3	6075	1180	1180	1300	
		A3	3120	1180	1180	720	
Climbing tower section		A3	3120	1385	1380	810	
Foundation anchor / Tramo encastrar /		A3	1200	1160	1160	350	
Base Chassis		A3	5525	500	635	1075	
			2670	360	635	2x535 1070	
						TOTAL	2145
Base Chassis		A3s	4135	500	635	835	
			2025	360	635	2x390 780	
						TOTAL	1615





		
	0 a 1 r.p.m.	50 N.m
	0 a 50 m/min	2,2 kW
	15 m/min	2x3 kW




Max height of hoist

 (H)Max. 88m +  More options


Transport / Transporte / Transport / Trasporto / Transport / Транспорт



1




3xA3-12m-L42-RI3-RS3




3xA3-12m-L42-RI3-RS3

2




CL2-1xCH1-2xCH2-L41-L43-L45




CL2-1xCH1-2xCH2-L41-L43-L45

3




L44xCP2-2xCP3



L44xCP2-2xCP3





Headquarters

 3620 S. 40th Street , Phoenix , AZ, 85040 USA

 +1 (480) 993 3302

Factory

 Zona Industrial de Canas de Senhorim - EN 234, 3525-040 Canas de Senhorim - Portugal

 +351 232 673 530  sales@staffordtowercranes.com

 staffordtowercranes.com