





30kW

m			5000 kg	m								kg
				10	15	18	24	30	35	40	45	
50	12000kg 5x2000kg + 2x1000kg	17.6	5000	5000	4890	3560	2770	2320	1980	1710	1500	
45	11000kg 5x2000kg + 1x1000kg	17.9	5000	5000	4980	3640	2830	2370	2020	1750		
40	10000kg 4x2000kg + 2x1000kg	17.8	5000	5000	4940	3600	2800	2340	2000			
35	9000kg 4x2000kg + 1x1000kg	18.2	5000	5000	5000	3690	2870	2400				
30	8000kg 3x2000kg + 2x1000kg	18.9	5000	5000	5000	3850	3000					
24	6000kg 2x2000kg + 2x1000kg	17.8	5000	5000	4940	3600						
	m											

SACS
15%



m			5000 kg	m								kg
				10	15	18	24	30	35	40	45	
50	12000kg 5x2000kg + 2x1000kg	17.6	5000	5000	5000	4100	3190	2660	2270	1970	1730	
45	11000kg 5x2000kg + 1x1000kg	17.9	5000	5000	5000	4180	3250	2720	2320	2010		
40	10000kg 4x2000kg + 2x1000kg	17.8	5000	5000	5000	4140	3220	2700	2300			
35	9000kg 4x2000kg + 1x1000kg	18.2	5000	5000	5000	4240	3300	2760				
30	8000kg 3x2000kg + 2x1000kg	18.9	5000	5000	5000	4430	3450					
24	6000kg 2x2000kg + 2x1000kg	17.8	5000	5000	5000	4140						
	m											



15kW























m	Diagram	Icons		10	15	18	24	30	35	40	45	50	m
		5000 kg	2500 kg										
50	12000kg 5x2000kg + 2x1000kg	17.6	32.8	2500	2500	2500	2500	2500	2320	1980	1710	1500	kg
				5000	5000	4890	3560	2770	2320	1980	1710	1500	
45	11000kg 5x2000kg + 1x1000kg	17.9	33.4	2500	2500	2500	2500	2500	2370	2020	1750		
				5000	5000	4980	3640	2830	2370	2020	1750		
40	10000kg 4x2000kg + 2x1000kg	17.8	33.1	2500	2500	2500	2500	2500	2340	2000			
				5000	5000	4940	3600	2800	2340	2000			
35	9000kg 4x2000kg + 1x1000kg	18.2	33.8	2500	2500	2500	2500	2500	2400				
				5000	5000	5000	3690	2870	2400				
30	8000kg 3x2000kg + 2x1000kg	18.9	35.2	2500	2500	2500	2500	2500					
				5000	5000	5000	3850	3000					
24	6000kg 2x2000kg + 2x1000kg	17.8	33.1	2500	2500	2500	2500						
				5000	5000	4940	3600						
m		Icons											

SACS 15%




m	Diagram	Icons		10	15	18	24	30	35	40	45	50	m
		5000 kg	2500 kg										
50	12000kg 5x2000kg + 2x1000kg	17.6	32.8	2500	2500	2500	2500	2500	2500	2270	1970	1730	kg
				5000	5000	5000	4100	3190	2660	2270	1970	1730	
45	11000kg 5x2000kg + 1x1000kg	17.9	33.4	2500	2500	2500	2500	2500	2500	2320	2010		
				5000	5000	5000	4180	3250	2720	2320	2010		
40	10000kg 4x2000kg + 2x1000kg	17.8	33.1	2500	2500	2500	2500	2500	2500	2300			
				5000	5000	5000	4140	3220	2700	2300			
35	9000kg 4x2000kg + 1x1000kg	18.2	33.8	2500	2500	2500	2500	2500	2500				
				5000	5000	5000	4240	3300	2760				
30	8000kg 3x2000kg + 2x1000kg	18.9	35.2	2500	2500	2500	2500	2500					
				5000	5000	5000	4430	3450					
24	6000kg 2x2000kg + 2x1000kg	17.8	33.1	2500	2500	2500	2500						
				5000	5000	5000	4140						
m		Icons											




			A (mm)	B (mm)	C (mm)	kg (±5%)		
Jib / Lança / Fleche / Braccio		15kW	L55	11950	1210	600	3810	
		30kW					4050	
/ Ausleger / кливер			L56	5200	1160	1930	590	
			L52	5200	1160	1650	535	
			L53	5200	1160	1650	510	
			L42b	6080	1160	1210	520	
			L42c	5180	1160	1210	370	
			L43	5100	1160	1210	2x260 520	
			L45a	2100	1160	1210	120	
	Head turntable			RS6 RI5	2250	1350	2050	2640
			P1	1660	1220	1720	720	
Counter-jib / Contra lança / Contre-flèche			CL12	12000	1250	560	2560	
Counterweight / Contrapeso / Contrepoids / Gegengewicht / Противовес			CP2	1160	330	3140	5x2000 10000	
			CP3	1160	165	3140	2x1000 2000	
Tower section / torre / Coupe tour / Sezione torre / Turmabschnitt / Секция башни			A5	11985	1160	1160	3080	
			A5	6075	1160	1160	1660	
			A5	3120	1160	1160	990	
Climbing tower section			A5	3090	1385	1385	1040	
Foundation anchor / Tramo encastrar /			A5	1275	1160	1160	450	
Base Chassis			A5	5530	500	820	1250	
				2270	360	820	2x635 1270	
							TOTAL	2520
Base Chassis			A5s	4110	500	820	1150	
				1955	360	820	2x580 1160	
							TOTAL	2310






	0 a 78 m/min
	30 kW



	0 a 1 r.p.m.
	2x4 daN.m
	0 a 60 m/min
	3 kW
	15 m/min
	2x3 kW

	55 kVA
	400 V +- 5% (50/60 Hz)

	0 a 78 m/min
	0 a 39 m/min
	15 kW




	30 kVA
	400 V +- 5% (50/60 Hz)

Max height of hoist

More options


(H)Max. 132m +

Transport / Transporte / Transport / Trasporto / Transport / Транспорт




C25

3x





/

3x





STF 5015


1




2




3





Headquarters

 3620 S. 40th Street , Phoenix , AZ, 85040 USA

 +1 (480) 993 3302

Factory

 Zona Industrial de Canas de Senhorim - EN 234, 3525-040 Canas de Senhorim - Portugal

 +351 232 673 530  sales@staffordtowercranes.com

 staffordtowercranes.com